

**PROPOSED ARAR's continued**

| CAT.   | ORC       | OAC      | PARA.         | CAPTION   | TEXT   | APPLICATION   |
|--------|-----------|----------|---------------|---|--|---|
| ODH    | 3748.1    |          | B             | TREATEMENT, RECYCLING, STORING OR DISPOSAL OF WASTE EXCEPT AT LICENSED FACILITY PROHIBITED; EXEMPTIONS. | NO PERSON SHALL TREAT, RECYCLE, STORE OR DISPOSE OF ANY LOW LEVEL RADIOACTIVE WASTE EXCEPT AT A FACILITY THAT IS LICENSED FOR.   | THIS PERTAINS TO WASTE DISPOSED OF IN THE STATE OF OHIO AT A NON-DOE FACILITY.  |
| HW APC | 3734.02   |          | I             | AIR EMISSIONS FROM HAZARDOUS WASTE FACILITIES.  | NO HAZARDOUS WASTE FACILITY SHALL EMIT ANY PARTICULATE MATTER, DUST, FUMES, GAS, MIST, SMOKE, VAPOR OR ODOROUS SUBSTANCE THAT INTERFERES WITH THE COMFORTABLE ENJOYMENT OF LIFE OR PROPERTY OR IS INJURIOUS TO PUBLIC HEALTH.  | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE WILL BE MANAGED SUCH THAT AIR EMISSIONS MAY OCCUR. CONSIDER FOR SITES THAT WILL UNDERGO MOVEMENT OF EARTH OR INCINERATION.                     |
| DSIWM  | 3734.03   |          |               | PROHIBITS OPEN DUMPING OR BURNING.  | PROHIBITS OPEN BURNING OR OPEN DUMPING OF SOLID WASTE OR TREATED OR UNTREATED INFECTIOUS WASTE.  | PERTAINS TO ANY SITE AT, WHICH SOLID WASTE HAS COME TO BE LOCATED OR WILL BE GENERATED DURING A REMEDIAL ACTION.  |
| DSW    | 6111.04   |          |               | ACTS OF POLLUTION PROHIBITED.   | POLLUTION OF WATERS OF THE STATE IS PROHIBITED.  | PERTAINS TO ANY SITE, WHICH HAS CONTAMINATED ON-SITE GROUND OR SURFACE WATER OR WILL HAVE A DISCHARGE TO ON-SITE SURFACE OR GROUND WATER.   |
| HW     | 3734.02.7 |          | A, B          | HANDLING LOW-LEVEL RADIOACTIVE WASTE PROHIBITED.  | A) PROHIBITS COMMINGLING LOW LEVEL RADIOACTIVE WASTE WITH ANY TYPE OF SOLID WASTE, HAZARDOUS WASTE, OR INFECTIOUS WASTE. B) NO OWNER OR OPERATOR OF A SOLID, INFECTIOUS OR HAZARDOUS WASTE FACILITY SHALL ACCEPT FOR TRANSFER, STORAGE, TREATMENT OR DISPOSAL OF ANY RADIOACTIVE WASTE.  | PERTAINS TO ALL SITES AT WHICH LOW LEVEL RADIOACTIVE WASTE HAS COME TO BE LOCATED.  |
| DSW    | 6111.04.2 |          |               | RULES REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STDS.   | ESTABLISHES REGULATIONS REQUIRING COMPLIANCE WITH NATIONAL EFFLUENT STANDARDS.   | PERTAINS TO ANY SITE WHICH WILL HAVE A POINT SOURCE DISCHARGE.  |
| DSW    |           | 1/3/3745 |               | ANALYTICAL AND COLLECTION PROCEDURES.   | SPECIFIES ANALYTICAL METHODS AND COLLECTION PROCEDURES FOR SURFACE WATER DISCHARGES.   | PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.  |
| DSW    |           | 1/4/3745 | A, B, C, D, E | THE "FIVE FREEDOMS" FOR SURFACE WATER.  | ALL SURFACE WATERS OF THE STATE SHALL BE FREE FROM: A) OBJECTIONABLE SUSPENDED SOLIDS. B) FLOATING DEBRIS, OIL AND SCUM. C) MATERIALS THAT CREATE A NUISANCE. D) TOXIC, HARMFUL OR LETHAL SUBSTANCES. E) NUTRIENTS THAT CREATE NUISANCE GROWTH.  | PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIATION AND ANY ON-SITE SURFACE WATERS AFFECTED BY SITE CONDITIONS.  |
| DSW    |           | 1/5/3745 | A, B, C       | ANTIDEGRADATION POLICY FOR SURFACE WATER.   | PREVENTS DEGRADATION OF SURFACE WATER QUALITY BELOW DESIGNATED USE OR EXISTING WATER QUALITY. EXISTING IN STREAM USES SHALL BE MAINTAINED AND PROTECTED. THE MOST STRINGENT CONTROLS FOR TREATMENT SHALL BE REQUIRED BY THE DIRECTOR TO BE EMPLOYED FOR ALL NEW AND EXISTING POINT SOURCE DISCHARGES. PREVENTS ANY DEGRADATION OF STATE RESOURCE WATERS. | REQUIRES THAT BEST AVAILABLE TECHNOLOGY (BAT) BE USED TO TREAT SURFACE WATER DISCHARGES. DWQPA USES THIS RULE TO SET STANDARDS WHEN EXISTING WATER QUALITY IS BETTER THAN THE DESIGNATED USE. |
| DSW    |           | 1/7/3745 | C             | WATER QUALITY CRITERIA.   | ESTABLISHES WATER QUALITY CRITERIA FOR POLLUTANTS, WHICH DO NOT HAVE SPECIFIC NUMERICAL OR NARRATIVE CRITERIA, IDENTIFIED IN TABLES 7-1 THROUGH 7-15 OF THIS RULE.   | PERTAINS TO BOTH DISCHARGES TO SURFACE WATERS AS A RESULT OF REMEDIAL ACTION AND ANY SURFACE WATERS AFFECTED BY SITE CONDITIONS.  |

**PROPOSED ARAR's continued**

| CAT. | ORC | OAC         | PARA.        | CAPTION  | TEXT  | APPLICATION   |
|------|-----|-------------|--------------|--|---|---|
| DSW  |     | 1/21/3745   |              | WATER USE DES FOR GREAT MIAMI RIVER.               | ESTABLISHES WATER USE DESIGNATIONS FOR STREAM SEGMENTS WITHIN THE GREAT MIAMI RIVER BASIN.  | PERTINENT IF STREAM OR STREAM SEGMENT IS ON-SITE AND IS EITHER AFFECTED BY SITE CONDITIONS OF IF REMEDY INCLUDES DIRECT DISCHARGE. USED BY DSW TO ESTABLISH WASTE LOAD ALLOCATIONS  |
| GW   |     | 9/10/3745   | A, B, C      | ABANDONED WELL SEALING.                            | PROCEDURES FOR CLOSING AND SEALING WELL'S.  | PERTAINS TO ALL GROUND WATER W ELLS ON THE SITE THAT EITHER WILL BE INSTALLED OR HAVE BEEN INSTALLED SINCE FEB. 15, 1975.   |
| APC  |     | 3745-15-07  | A            | AIR POLLUTION NUISANCES PROHIBITED.                | DEFINES AIR POLLUTION NUISANCE AS THE EMISSION OR ESCAPE INTO THE AIR FROM ANY SOURCES(s)) OF SMOKE, ASHES, DUST, DIRT, GRIME, ACIDS, FUMES, GASES, VAPORS, ODORS AND COMBINATIONS OF THE ABOVE THAT ENDANGER HEALTH, SAFETY OR WELFARE OF THE PUBLIC OR CAUSE PERSONAL INJURY OR PROPERTY DAMAGE. SUCH NUISANCES ARE PROHIBITED. | PERTAINS TO ANY SITE WHICH CAUSES, OR MAY REASONABLY CAUSE, AIR POLLUTION NUISANCES. CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, METHANE PRODUCTION, CLEARING AND GRUBBING, WATER TREATMENT, INCINERATION AND WASTE FUEL RECOVERY. |
| APC  |     | 3745-17-02  | A, B, C      | PARTICULATE AMBIENT AIR QUALITY STANDARDS.         | ESTABLISHES SPECIFIC STANDARDS FOR TOTAL SUSPENDED PARTICULATES.  | PERTAINS TO ANY SITE THAT MAY EMIT MEASURABLE QUANTITIES OF PARTICULATE MATTER (BOTH STACK AND FUGITIVE). CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, CLEARING AND GRUBBING, INCINERATION AND WASTE FUEL RECOVERY.                 |
| APC  |     | 3745-17-05  |              | PARTICULATE NON-DEGRADATION POLICY.                | DEGRADATION OF AIR QUALITY IN ANY AREA WHERE AIR QUALITY IS BETTER THAN REQUIRED BY 3745-17-02 IS PROHIBITED.   | PERTAINS TO SITES IN CERTAIN LOCATIONS THAT MAY EMIT OR ALLOW THE ESCAPE OF PARTICULATES (BOTH STACK AND FUGITIVE). CONSIDER FOR SITES THAT WILL UNDERGO EXCAVATION, DEMOLITION, CAP INSTALLATION, CLEARING AND GRUBBING, INCINERATION.                               |
| APC  |     | 3745-17-08  | A1, A2, B, D | EMISSION RESTRICTIONS FOR FUGITIVE DUST.           | ALL EMISSIONS OF FUGITIVE DUST SHALL BE CONTROLLED.   | PERTAINS TO SITES, WHICH MAY HAVE FUGITIVE EMISSIONS (NON-STACK) OF DUST. CONSIDER FOR SITES THAT WILL UNDERGO GRADING, LOADING OPERATIONS, DEMOLITION, CLEARING AND GRUBBING AND CONSTRUCTION UTILIZE INCINERATION OR FUEL RECOVERY (WASTE FUEL RECOVERY).           |
| APC  |     | 3745-20-06  | A, B         | STANDARD FOR ACTIVE ASBESTOS WASTE DISPOSAL SITES. | ESTABLISHES OPERATING STANDARDS FOR AN ACTIVE ASBESTOS WASTE DISPOSAL SITES.  | PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED AND MUST BE CONSOLIDATED ON-SITE. CONSIDER FOR LANDFILLS WHERE WASTES WILL BE EXCAVATED AND RE-DEPOSITED ON-SITE.   |
| APC  |     | 3745-20-07  | A, B, C      | STANDARD FOR INACTIVE.                             | ESTABLISHES EMISSIONS AND MAINTENANCE STANDARDS FOR INACTIVE.   | PERTAINS TO SITES WHERE ASBESTOS HAS COME TO BE LOCATED.  |
|      |     |             |              | ASBESTOS WASTE DISPOSAL SITES.                     | ASBESTOS WASTE DISPOSAL SITES.  | CONSIDER FOR LANDFILLS WITH INADEQUATE COVER OR WHERE WASTES WILL CONSOLIDATED.   |
| APC  |     | 3745-25-03  |              | EMISSION CONTROL ACTION PROGRAMS.                  | REQUIRES PREPARATION FOR AIR POLLUTION ALERTS, WARNINGS AND EMERGENCIES   | PERTAINS TO ANY SITE, WHICH IS EMITTING OR MAY EMIT AIR CONTAMINANTS.   |
| HW   |     | 3745-270-03 | A, B, C, D   | DILUTION PROHIBITED AS A SUBSTITUTE FOR TREATMENT. | FORBIDS DILUTION AS A MEANS OF ACHIEVING LAND DISPOSAL RESTRICTION LEVELS   | CONSIDER FOR REMEDIAL OPTIONS INCLUDING LAND DISPOSAL OR LEAVING WASTES IN-PLACE  |

**PROPOSED ARAR's continued**

| CAT.  | ORC | OAC         | PARA.            | CAPTION   | TEXT  | APPLICATION   |
|-------|-----|-------------|------------------|---|---|---|
| DSIWM |     | 3745-27-03  | B                | EXEMPTIONS TO SOLID WASTE REGULATIONS.                  | DEFINES EXEMPTIONS TO SOLID WASTE REGULATIONS AND ESTABLISHES LIMITATIONS ON TEMPORARY STORAGE OF PUTRESCIBLE WASTE OR ANY SOLID WASTE WHICH CAUSES A NUISANCE OR HEALTH HAZARD. STORAGE OF PUTRESCIBLE WASTE BEYOND SEVEN DAYS IS CONSIDERED OPEN DUMPING.   | PERTAINS TO ANY SITE AT WHICH SOLID WASTE WILL BE MANAGED. CONSIDER ESPECIALLY FOR OLD LANDFILLS WHERE SOLID WASTE MAY BE EXCAVATED AND/OR CONSOLIDATED.                      |
| HW    |     | 3745-270-49 | A, B, C, D, E    | LAND DISPOSAL RESTRICTION FOR CONTAMINATED SOILS.       | SPECIFIES STANDARDS FOR SOIL TREATMENT.   | CONSIDER AT SITES WHERE CONTAMINATED SOILS ARE GENERATED.   |
| DSIWM |     | 3745-27-05  | A, B, C          | AUTHORIZED, LIMITED & PROHIBITED SOLID WASTE DISPOSAL.  | ESTABLISHES ALLOWABLE METHODS OF SOLID WASTE DISPOSAL; SANITARY LANDFILL, INCINERATION, COMPOSTING. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.  | PERTAINS TO ANY SITE AT WHICH SOLID WASTES WILL BE MANAGED. PROHIBITS MANAGEMENT BY OPEN BURNING AND OPEN DUMPING.  |
| HW    |     | 3745-270-50 | A, B, C, D, E, F | PROHIBITIONS ON STORAGE OF RESTRICTED WASTES.           | RULES FOR STORAGE OF WASTES THAT VIOLATE LDR'S.   | CONSIDER AT SITES W HERE REMEDIATION INCLUDES STORAGE OF WASTES.  |
| DSIWM |     | 3745-27-13  | A, C             | DISTURBANCES WHERE HAZ OR SOLID WASTE FAC WAS OPERATED. | REQUIRES THAT A DETAILED PLAN BE PROVIDED TO DESCRIBE HOW ANY PROPOSED FILLING, GRADING, EXCAVATING, BUILDING, DRILLING OR MINING ON LAND W HERE A HAZARDOUS WASTE FACILITY OR SOLID WASTE FACILITY WAS OPERATED WILL BE ACCOMPLISHED. THIS INFORMATION MUST DEMONSTRATE THAT THE PROPOSED ACTIVITIES WILL NOT CREATE A NUISANCE OR ADVERSELY AFFECT THE PUBLIC HEALTH OR THE ENVIRONMENT. SPECIAL TERMS TO CONDUCT SUCH ACTIVITIES MAY BE IMPOSED BY THE DIRECTOR TO PROTECT THE PUBLIC AND THE ENVIRONMENT.                 | PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HAS BEEN MANAGED, EITHER INTENTIONALLY OR OTHERWISE. DOES NOT PERTAIN TO AREAS THAT HAVE HAD ONE-TIME LEAKS OR SPILLS. |
| DSIWM |     | 3745-27-13  | H (4)            | TESTING OF WASTES FOR DISPOSAL OR TREATMENT.            | SPECIFIES REPRESENTATIVE SAMPLING OF POTENTIALLY CONTAMINATED SOIL AND WASTES BE PERFORMED IF SOLID OR HAZARDOUS WASTE OR SOILS ARE REMOVED FROM A CLOSED FACILITY. COPIES OF SAMPLE ANALYSIS REPORTS, SELECTION OF APPROPRIATE TREATMENT OR DISPOSAL METHOD, AND COPY OF ACCEPTANCE LETTER FROM RECEIVING FACILITY TO BE SUBMITTED PRIOR TO REMOVAL OF ANY WASTE OR CONTAMINATED SOIL FROM SITE. MUST MEET ALL APPLICABLE STATE AND FEDERAL LAWS AND REGULATIONS PERTAINING TO ENVIRONMENTAL PROTECTION, INCLUDING ORC 3734. | PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HS BEEN MANAGED, EITHER INTENTIONALL OR OTHERWISE. DOES NOT PERTAIN TO AREAS THAT HAVE HAD ONE-TIME LEAKS OR SPILLS.   |
| DSIWM |     | 3745-27-13  | H (6)            | REPLACEMENT OF EXCAVATED WASTES.                        | NO EXCAVATION OF WASTE, INCLUDING LIQUIDS RELEASED DURING CITED ACTIVIES, SHALL OCCUR UNLESS THE EXCAVATED WASTE IS REPLACED WITHIN PREVIOUSLY EXISTING HORIZONTAL AND VERTICAL LIMITS OF WASTE PLACEMENT; TREATED AND/OR DISPOSED AT A LICENSED, PERMITTED FACILITY. WASTES SUSPECTED OR KNOWN TO BE HAZARDOUS WHICH ARE REMOVED ARE TO BE STORED & CHARACTERIZED IN ACCORDANCE WITH ORC 3734.   | PERTAINS TO ANY SITE AT WHICH HAZARDOUS OR SOLID WASTE HS BEEN MANAGED, EITHER INTENTIONALL OR OTHERWISE. DOES NOT PERTAIN TO AREAS THAT HAVE HAD ONE-TIME LEAKS OR SPILLS.   |

**PROPOSED ARAR's continued**

| CAT.  | ORC | OAC        | PARA.      | CAPTION  | TEXT  | APPLICATION   |
|-------|-----|------------|------------|--|---|---|
| DSIWM |     | 3745-27-19 | (E)(8)(h)  | GENERAL OPERATIONAL CRITERIA.                      | DISPOSAL RESTRICTIONS. LOW-LEVEL RADIOACTIVE WASTES AS SPECIFIED IN SECTION 3734.027 OF THE REVISED CODE.   | PROHIBITS DISPOSAL OF LOW-LEVEL RADIOACTIVE WASTES IN SANITARY LANDFILL FACILITIES.   |
| DSIWM |     | 3745-27-19 | J          | SANITARY LANDFILL OPERATIONS -SURFACE WATER MGMNT. | SURFACE WATER MUST BE DIVERTED FROM AREAS WHERE SOLID WASTE IS BEING, OR HAS BEEN, DEPOSITED. ALSO REQUIRES RUN-ON AND RUN-OFF TO BE CONTROLLED TO MINIMIZE INFILTRATION THROUGH THE COVER MATERIALS AND TO MINIMIZE EROSION OF THE CAP SYSTEM. | PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES. |
| DSIWM |     | 3745-27-19 | K          | SANITARY LANDFILL OPERATIONS LEACHATE MANAGEMENT.  | REQUIRES REPAIR OF LEACHATE OUTBREAKS; COLLECTION AND TREATMENT OF LEACHATE ON THE SURFACE OF THE LANDFILL; AND ACTIONS TO MINIMIZE, CONTROL OR ELIMINATE CONDITIONS CAUSING LEACHATE OUTBREAKS.  | PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT WILL BE CAPPED IN-PLACE PER SOLID WASTE RULES. |
| HW    |     | 3745-52-11 | A, B, C, D | EVALUATION OF WASTE.                               | ANY PERSON GENERATING A WASTE MUST DETERMINE IF THAT WASTE IS A HAZARDOUS WASTE (EITHER THROUGH LISTING OR BY CHARACTERISTIC).  | PERTAINS TO SITES AT, WHICH WASTES OF ANY TYPE (BOTH SOLID AND HAZARDOUS) ARE LOCATED.  |
| HW    |     | 3745-52-20 |            | HAZARDOUS WASTE MANIFEST - GENERAL REQUIREMENTS.   | REQUIRES A GENERATOR WHO TRANSPORTS OR OFFERS FOR TRANSPORTATION HAZARDOUS WASTE FOR OFF-SITE TREATMENT, STORAGE OR DISPOSAL TO PREPARE A UNIFORM HAZARDOUS WASTE MANIFEST.   | PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL.  |
| HW    |     | 3745-52-22 |            | HAZARDOUS WASTE MANIFEST - NUMBER OF COPIES.       | SPECIFIES THE NUMBER OF MANIFEST COPIES TO BE PREPARED.   | PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL.  |
| HW    |     | 3745-52-23 |            | HAZARDOUS WASTE MANIFEST – USE.                    | SPECIFIES PROCEDURES FOR THE USE OF HAZARDOUS WASTE MANIFESTS INCLUDING A REQUIREMENT THAT THEY BE HAND SIGNED BY THE GENERATOR.  | PERTAINS TO SITES WHERE HAZARDOUS WASTE WILL BE TRANSPORTED OFF-SITE FOR TREATMENT, STORAGE OR DISPOSAL.  |
| HW    |     | 3745-52-30 |            | HAZARDOUS WASTE PACKAGING.                         | REQUIRES A GENERATOR TO PACKAGE HAZARDOUS WASTE IN ACCORDANCE WITH U.S. DOT REGULATIONS FOR TRANSPORTATION OFF-SITE.  | PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.  |
| HW    |     | 3745-52-31 |            | HAZARDOUS WASTE LABELING.                          | REQUIRES PACKAGES OF HAZARDOUS WASTE TO BE LABELED IN ACCORDANCE WITH U.S. DOT REGULATIONS FOR OFF-SITE TRANSPORTATION.   | PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.  |
| HW    |     | 3745-52-32 |            | HAZARDOUS WASTE MARKING.                           | SPECIFIES LANGUAGE FOR MARKING PACKAGES OF HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION.  | PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.  |
| HW    |     | 3745-52-33 |            | HAZARDOUS WASTE PLACARDING.                        | GENERATOR SHALL PLACARD HAZARDOUS WASTE PRIOR TO OFF-SITE TRANSPORTATION.   | PERTAINS TO ANY SITE WHERE HAZARDOUS WASTE WILL BE GENERATED BY ON-SITE ACTIVITIES AND SHIPPED OFF-SITE FOR TREATMENT AND/OR DISPOSAL.  |
| HW    |     | 3745-52-34 |            | ACCUMULATION TIME OF HAZARDOUS WASTE.              | IDENTIFIES MAXIMUM TIME PERIODS THAT A GENERATOR MAY ACCUMULATE A HAZARDOUS WASTE WITHOUT BEING CONSIDERED AN OPERATOR OF A STORAGE FACILITY. ALSO ESTABLISHES STANDARDS FOR MANAGEMENT OF HAZARDOUS WASTES BY GENERATORS.                      | PERTAINS TO A SITE WHERE HAZARDOUS WASTE WILL BE GENERATED AS A RESULT OF THE REMEDIAL ACTIVITIES.  |
| HW    |     | 3745-52-34 | (C)(1)(b)  | CONTAINER MANAGEMENT                               |   |   |

**PROPOSED ARAR's continued**

| CAT. | ORC | OAC        | PARA. | CAPTION  | TEXT   | APPLICATION   |
|------|-----|------------|-------|--|--|---|
| HW   |     | 3745-54-37 | A, B  | ARRANGEMENTS/ AGREEMENTS WITH LOCAL AUTHORITIES. | ARRANGEMENTS OR AGREEMENTS WITH LOCAL AUTHORITIES, SUCH AS POLICE, FIRE DEPARTMENT AND EMERGENCY RESPONSE TEAMS MUST BE MADE. IF LOCAL AUTHORITIES WILL NOT COOPERATE, DOCUMENTATION OF THAT NON-COOPERATION SHOULD BE PROVIDED. | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE IS TO BE TREATED, STORED OR DISPOSED OF (OR HAS BEEN DISPOSED OF). |
| HW   |     | 3745-55-71 |       | CONDITION OF CONTAINERS.                         | CONTAINERS HOLDING HAZARDOUS WASTE MUST BE MAINTAINED IN GOOD CONDITION (NO RUST OR STRUCTURAL DEFECTS).   | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.                                      |
| HW   |     | 3745-55-72 |       | COMPATIBILITY OF WASTE WITH CONTAINERS.          | HAZARDOUS WASTES PLACED IN CONTAINER MUST NOT REACT WITH THE CONTAINER MATERIAL OR LINER MATERIAL.   | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.                                      |
| HW   |     | 3745-55-73 |       | MANAGEMENT OF CONTAINERS.                        | CONTAINERS HOLDING HAZARDOUS WASTE MUST BE CLOSED (EXCEPT TO ADD OR REMOVE WASTE) AND MUST NOT BE HANDLED IN A MANNER THAT MAY RUPTURE THE CONTAINER OR CAUSE IT TO LEAK.  | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.                                      |
| HW   |     | 3745-55-74 |       | CONTAINER INSPECTIONS.                           | REQUIES AT LEAST WEEKLY INSPECTIONS OF CONTAINER STORAGE AREAS.  | PERTAINS TO ANY SITE AT, WHICH HAZARDOUS WASTE WILL BE STORED IN CONTAINERS.                                      |

To Be Considered:

| CAT.  | ORC | OAC        | PARA. | CAPTION  | TEXT   | APPLICATION  |
|-------|-----|------------|-------|--|--|--|
| DSIWM |     | 3745-27-11 | B, G  | FINAL CLOSURE OF SANITARY LANDFILL FACILITIES.     | REQUIRES CLOSURE OF A LANDFILL IN A MANNER, WHICH MINIMIZES THE NEED FOR POST-CLOSURE MAINTENANCE AND MINIMIZES POST-CLOSURE FORMATION AND RELEASE OF LEACHATE AND EXPLOSIVE GASES TO AIR, SOIL GROUND WATER OR SURFACE WATER. SPECIFIES ACCEPTABLE CAP DESIGN; SOIL BARRIER LAYER, GRANULAR DRAINAGE LAYER, SOIL AND VEGETATIVE LAYER. PROVIDES FOR USE OF COMPARABLE MATERIALS TO THOSE SPECIFIED WITH APPROVAL OF DIRECTOR. | SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEW SOLID WASTE LANDFILLS CREATED ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED IN-PLACE PER THE SOLID WASTE RULES.                  |
| DSIWM |     | 3745-27-14 | A     | POST-CLOSURE CARE OF SANITARY LANDFILL FACILITIES. | SPECIFIES THE REQUIRED POST-CLOSURE CARE FOR SOLID WASTE FACILITIES. INCLUDES CONTINUING OPERATION OF LEACHATE AND SURFACE WATER MANAGEMENT SYSTEMS, MAINTENANCE OF THE CAP SYSTEM AND GROUND WATER MONITORING.  | SUBSTANTIVE REQUIREMENTS PERTAIN TO ANY NEWLY CREATED SOLID WASTE LANDFILLS ON-SITE, ANY EXPANSIONS OF EXISTING SOLID WASTE LANDFILLS ON-SITE AND ANY EXISTING AREAS OF CONTAMINATION THAT ARE CAPPED PER THE SOLID WASTE RULES.                         |
| DSIWM |     | 3745-27-19 | H     | SANITARY LANDFILL OPERATIONS FINAL COVER.          | INCLUDES REQUIREMENTS FOR THE FINAL CAP SYSTEM FOR AREAS AT FINAL ELEVATIONS.  | PERTAINS TO NEW SOLID WASTE DISPOSAL FACILITIES TO BE CREATED ON-SITE AND EXISTING LANDFILLS THAT WILL BE EXPANDED DURING REMEDIATION. PORTIONS ALSO MAY PERTAIN TO EXISTING AREAS OF CONTAMINATION THAT W ILL BE CAPPED IN-PLACE PER SOLID WASTE RULES. |

1976 Solid Waste Regulations:

OAC 3745-27-01-11

OAC 3745-37-01-10